

# BSC STANDARD STAGE PLATFORM



**TÜV**  
Verified product  
No: 0000108986  
certyfikat.tuv-nord.pl



**BSC**  
SYSTEM



**BSC STANDARD is a universal modular stage system recommended for building various types of indoor and outdoor stages, a auditoriums, portable tribunes/grandstands with a height of 0,2 m to 4 m.**

For structures higher than 1,6 m, additional leg reinforcement is required.

**The standard platform size** is 1×2 m, 1×1 m, and 2×0,5 m; (all other dimensions are available upon request).


**The load capacity** is 750 kg/m<sup>2</sup>.

**The platform surface** is made of 21 mm thick water-resistant non-slip plywood, certified for fire resistance. On request: beech veneer, varnish, carpet, PVC, oak mosaic, parquet and many other finishes.

BSC STANDARD stage platform is in compliance with DIN EN-15921:2015-09 standard. It has passed all the technical inspections and attestations accepting its use in the member countries of the European Union

**It is a TÜV-verified product.**

## CONNECTING THE LEGS OF STAGE PLATFORMS




Double and quadruple clamps (for 2 or 4 legs) are used to connect the legs of the stage platforms. The clamps are made of steel and their special construction sets precisely the distance between legs. The clamps, at the same time, fasten and stabilise the whole stage construction.

## CONNECTING STAGE PLATFORM FRAMES



The connection of the platform frames is realised by our quick couplings. The fastening element is made of a specially designed aluminium profile. The frame connector is held securely in place by a specially designed built-in screw so that a very stable connection is created between the frames.



## TECHNICAL DATA

SIZE	WEIGHT	LOAD CAPACITY	LEG DIMENSION	FRAME HEIGHT	PLATE (TOP)	MAX PODIUM HEIGHT
1×2 m, 1×1 m, and 2×0,5 m; (all other dimensions are available upon request)	45 kg	750kg/m <sup>2</sup> (7,5 kN/m <sup>2</sup> )	40×40 mm, 60×60mm, pipe Ø50 mm	8cm	21 mm plywood with beech veneer or attested fire resistant, waterproof and non-slip surface; on a request: carpet, PVC, oak mosaic, parquet and many more	4 m (for structures higher than 1,6 m additional leg reinforcement is required)



## ACCESSORIES

We offer a wide range of additional equipment for our platforms: modular stairs, stair handrails, barriers, textile and wooden covers for platforms, as well as products for platforms transportation and storage.



### RAILINGS

RAILINGS designed for platforms, grandstands and tribunes are manufactured from rectangular tubes 40×20×2 mm, black powder coated, fixed to the platform frame with special mounting brackets.

Standard length: 2 m, 1 m, 0,5 m (other on request).



### STAIRS

STAIRS made of wood and steel, enable safe entrance to the stage. Their modular system allows you to add or remove individual stair steps. The surface of the steps matches the surface of the platforms from which the stage is built. Standard dimension of the single step: width 100 cm, depth 26 cm, height 20 cm (other on request).




### HANDRAILS

HANDRAILS are manufactured from rectangular tubes with a diameter of 40×20×2 mm, black powder coated, fixed to stairs with special mounting brackets.



### TRANSPORTATION TROLLEY

TRANSPORTATION TROLLEY with a handle enables comfortable transportation and storage of all types of stage platforms with accessories



### TRANSPORT WHEELS

A set of 4 TRANSPORT WHEELS for storing and transporting max. 20 platform units with removable legs. The transport wheels are fixed in the corners of a stage podium creating a mobile platform upon which other platforms are placed (40 m2 of the stage surface can be stored on 2 m2). All additional elements (such as legs, clamps, quick couplings, etc.) are stored in space between the single platform tops.



**Sale:**

Agnieszka Prachniak

Mobile: +48 691 444 418

agnieszka@bscsystem.pl

**BSC System Sp. z o.o.**

**Office:**

ul. Mehoffera 122

03-158 Warsaw

**Contact:**

Tel.: (+48) 22 301 07 08

Mobile: (+48) 517 860 780

info@bscsystem.pl